

CiTO / CiteULike: publishing innovation

Egon Willighagen 

Published February 23, 2012

Citation

Willighagen, E. (2012). CiTO / CiteULike: publishing innovation. In *chem-bla-ics*. chem-bla-ics. <https://doi.org/10.59350/25dgb-j2y93>

Keywords

Citeulike, Cito, Rdf

Abstract

Readers of my blog know I have been using the Citation Typing Ontology, CiTO (doi:10.1186/2041-1480-1-S1-S6). I allows me to see how the CDK is cited and used . CiteULike is currently adding more CiTO more functionality, which they started doing almost one and a half years ago.

Copyright

Copyright © Egon Willighagen 2012. Distributed under the terms of the [Creative Commons Attribution 4.0 International License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

chem-bla-ics

Citations (CiTO) [edit] [Show as list]


usesMethodIn

Recent developments of the chemistry development kit (CDK) - an open-source java chemo- and bioinformatics.


Current pharmaceutical design, Vol. 12, No. 17. (2006), pp. 2111-2120, [doi:10.2174/1381612067775852](https://doi.org/10.2174/1381612067775852) by [C. Steinbeck](#), [C. Hoppe](#), [S. Kuhn](#), [M. Floris](#), [R. Guha](#), [E. L. Willighagen](#) posted to [papers](#) [opensource](#) [java](#) [cheminformatics](#) by [egonw](#) keyed Steinbeck2006 on 2007-06-09 09: with 5 people and 1 group

Abstract

The Chemistry Development Kit (CDK) provides methods for common tasks in molecular informatics and 3D rendering of chemical structures, I/O routines, SMILES parsing and generation, ring searches checking, structure diagram generation, etc. Implemented in Java, it is used both for server-side core services, possibly equipped with a web interface, as well as for applications and client-side applets. This introduces the CDK's new QSAR capabilities and the recently introduced interface to statistical software.



Because CiteULike takes advantage of the [inverse function](#) of the CiTO predicates, they show up with the cited paper too, which is less suitable for the top-down flow graphics:



To make this advertorial a bit balanced, not all [my wishes](#) have been implemented yet, and the next up from my perspective should be Linked Data. There is some Linked Data embedded as RDFa, but the latter is not turning out to be the killer I had hoped, and regular RDF entry points should be used.

Each CiteULike entry (post) should get a unique [IRI](#) (or [URI](#)) and opening that link should give RDF about that post ([wish #10](#)). That's is [dereferencibility](#). The RDF can be, for example, in [BIBO](#)

chem-bla-ics

but there are many alternatives, and I have not been keeping up with which is the best (please leave a comment, if you have an opinion on that).

But I like where this is going! Thanx, CiteReallyLikeThis!