

Cherry-picking commits from CDK trunk: how to make a reasonable commit message

Egon Willighagen 

Published October 1, 2008

Citation

Willighagen, E. (2008, October 1). Cherry-picking commits from CDK trunk: how to make a reasonable commit message. *Chem-bla-ics*. <https://doi.org/10.59350/6h7hy-t8615>

Keywords

Git, Cdk

Abstract

Some of you heard me complain about commit messages resulting from git cherry-pick which allows me to apply patches from CDK trunk to a branch, without needing to do a full merge of what happens in trunk. The commit messages would be identical, which made it seem that those original messages were mine.

Copyright

Copyright © Egon Willighagen 2008. Distributed under the terms of the [Creative Commons Attribution 4.0 International License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

chem-bla-ics

Some of you heard me complain about commit messages resulting from `git cherry-pick` which allows me to apply patches from [CDK trunk](#) to a branch, without needing to do a full merge of what happens in trunk. The commit messages would be identical, which made it seem that those original messages were mine.

However, this is how I can modify those messages:

```
$ git commit --amend
```

This allows me to convert a mere *refactored a method* into *Applied patch from trunk (rev 12479): [shk3] refactored a method*.