

Scons and bksys for kfile_chemical



Published November 10, 2005

Citation

Willighagen, E. (2005, November 10). Scons and bksys for kfile_chemical. *Chem-bla-ics*. <https://doi.org/10.59350/6n4we-wam18>

Keywords

Kde, Chemistry

Abstract

Not so long ago, it was decided that KDE 4.0 will use SCons as a configuration and building tool, instead of the autotools and make: the common `./configure && make && make install` which has served the open source community very well for so long.

Copyright

Copyright © None 2005. Distributed under the terms of the [Creative Commons Attribution 4.0 International License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Not so long ago, it was [decided](#) that KDE 4.0 will use [SCons](#) as a configuration and building tool, instead of the autotools and make: the common `./configure && make && make install` which has served the open source community very well for so long.

SCons is [different](#) in several ways. One of these is that the tar.gz packages it produces are some 500kB smaller, which makes a huge difference for [kfile_chemical](#) which is now 121kB instead of 635kB.

Now, the [KDE](#) community, or Thomas Nagy to be precise, developed a helper for KDE software, called [bksys](#). Version 1.5.1, however, did not contain an example directory for kfile plugins, but I managed to work something out starting from the configuring scripts from [kdissert](#), and ended up with these [SConstruct](#) and [config.bks](#).

Now, I haven't figured out how to include the translations, but will figure that out sooner or later... for now, I'm quite happy with the new build system.