

Chemistry in HTML: JavaScript from the server

Egon Willighagen 

Published January 2, 2007

Citation

Willighagen, E. (2007). Chemistry in HTML: JavaScript from the server. In *chem-bla-ics*. chem-bla-ics. <https://doi.org/10.59350/dmfek-pdt97>

Keywords

Html, Javascript, Userscript

Abstract

Recently I blogged about a Greasemonkey script to take advantage of semantic markup of chemistry in blogs (and HTML in general), and later made some plans how this can be extended . One of the ideas was to make this userscript available from the server, instead of having people need to install Greasemonkey and the script separately. So, here it is.

Copyright

Copyright © Egon Willighagen 2007. Distributed under the terms of the [Creative Commons Attribution 4.0 International License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Recently I blogged about [a Greasemonkey script](#) to take advantage of [semantic markup of chemistry in blogs](#) (and HTML in general), and later made [some plans how this can be extended](#). One of the ideas was to make this userscript available from the server, instead of having people need to install [Greasemonkey](#) and the script separately. So, here it is.

sechemtic.js

Consider this (X)HTML:

```
<html xmlns="http://www.w3.org/1999/xhtml"
      xmlns:chem="http://www.blueobelisk.org/chemistryblogs/">

<head>
  <title>m1</title>
  <script type="text/javascript" src="sechemtic.js" />
</head>

<body onload="addGoogleAndPubChemLinks(1,1)">
  <h1>The Output</h1>
  <p>This article is about <span class="chem:compound">m1</span>
    (SMILES:<span class="chem:smiles">CCOC</span>).</p>

</body>

</html>
```

The Output

This article is about m1 [PubChem](#) (SMILES:CCOC [Google](#), [PubChem](#)).

I think the above example shows the simple setup of the Sechemtic Web script (please forgive me my habit to use bad linguistic mashups ;). Just load the script in the HTML `<head>`, and add in the `onload="addGoogleAndPubChemLinks(1,1)"` attribute to the `<body>` element. With blogs these bits would be part of the template, and, therefore, need to be installed once. From then on, just use the [semantic markup as explained earlier](#). Both the microformat and the RDFa method are supported. In case of the latter, I recommend to define the chem namespace in the template of webpages too, instead of in the `` elements.

Currently, the Sechemtic Web script only has one functionality: to add links to [PubChem](#) and [Google](#), with the `addGoogleAndPubChemLinks(int, int)` method. The first parameter determines (0 or 1) if links to Google should be made, and the second parameter does the same for links to PubChem.

Download

For now, the script can be downloaded [here](#). It is licensed with the GPL version 2.0.

Microformats

Here's the same example using [microformats](#) instead of RDFa:

```
<html>

<head>
  <title>m1</title>
  <script type="text/javascript" src="sechemtic.js" />
</head>

<body onload="addGoogleAndPubChemLinks(1,1)">
  <h1>The Output</h1>
  <p>This article is about <span class="compound">m1</span>
    (SMILES:<span class="smiles">CCCOC</span>).</p>

</body>

</html>
```