chem-bla-ics

Finding the commit that causes the regressions...



Published November 10, 2008

Citation

Willighagen, E. (2008, November 10). Finding the commit that causes the regressions... *Chembla-ics*. https://doi.org/10.59350/pmme3-yzj05

Keywords

Cdk, Git

Abstract

CDK 1.1.x releases are well in progress, but a recent commit broke a number of unit tests. Here comes git-bisect.

Copyright

Copyright © None 2008. Distributed under the terms of the Creative Commons Attribution 4.0 International License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

chem-bla-ics

CDK 1.1.x releases are well in progress, but a recent commit broke a number of unit tests. Here comes git-bisect.

```
$ git checkout -b my-local-1.2 cdk1.2.x
$ git bisect start
$ git bisect bad
$ git bisect good 8219139e9236ab8036e9d08c13fcd0482d500c79
```

These lines indicate that the current version (HEAD) is broken, and that revision 8219139e9236ab8036e9d08c13fcd0482d500c79 was OK. Now, git-bisect does the proper thing, and starts in the middle, allowing me to run my tests, and issue a git bisect bad or git bisect good depending on whether my test fails or not. The test I am running is:

```
$ ant clean dist-all test-dist-all jarTestdata
$ ant -Dmodule=smarts test-module
$ git bisect [good|bad]
```

So, if I had to inspect 1024 commits, I'd found the bad commit in 10 times running this test suite. For the culprit I was after it was 6 times. The outcome was this commit, what I already suspected and emailed about to the cdk-devel mailing list:

[fa49ac603c36908f341b25d52a78435cdb8ca4d3] atomicNumber set as default (Integer) CDKConstants.UNSET